

International Journal of Science and Research Archive

eISSN: 2582-8185 Cross Ref DOI: 10.30574/ijsra

Journal homepage: https://ijsra.net/



(RESEARCH ARTICLE)



The effect of hot aqueous extract of flax seeds and fenugreek seeds against bacteria that isolated from mouth of smoking people

Anmar Saadi Aboud *, Mohammed A. AL-Jaleel and Zena Hassan Jazar

Department of Biology, College of science, AL-Mustansiriyah University, Iraq.

International Journal of Science and Research Archive, 2022, 06(01), 189-194

Publication history: Received on 03 April 2022; revised on 18 May 2022; accepted on 21 May 2022

Article DOI: https://doi.org/10.30574/ijsra.2022.6.1.0107

Abstract

Research was done to check anti- bacterial activity of hot water extract of flax seeds and fenugreek seeds against bacteria that isolated from mouths of smoking people by using holes method on nutrient agar.

Extracts was prepared of seeds of plants that studying in stoke then bacteria that isolated from mouth of different people in different age categories and smokers (UN brush teeth regularly). Some species of bacteria were diagnosis in this experiment which were (*Pseudomonas spp. Staphelococcus* and *Streptococcus spp.*) this experiment were measured the diameter of inhibition zone around the holes in petri dishes. Both extracts of Flax and Fenugreek seeds showed an antibacterial activity against bacteria in study, also the Fenugreek seeds extract present more effective than Flax seeds extract on bacteria.

Keywords: Flax; Fenugreek; Antimicrobial

1. Introduction

In recent years, studies on medicinal plants have increased, as they are considered an important source of many drugs, medicines and other medical materials from ancient times to the present. People use them to treat many diseases because they contain secondary metabolites, (Vaniseer, et.al. .2003).

1.1. Fenugreek (Trigonella foenum-graecum)

• Kingdom: Plantae

• Division: Magnoliophyta Class: Magnoliopsida

Order: FabalesFamily: FabaceaeGenus: Trigonella

• Species: *T. foenum-graecum*. (Dave K.1994).

The fenugreek (*Trigonella foenum-graecum*) belongs to the family Fabaceae and is a multiuse and commercially important spice crop grown for its seeds, tender shoots, and fresh leaves. It is an annual plant, extensively cultivated as a food crop in India, the Mediterranean region. North Africa, and Yemen. Fenugreek seeds and herbs are well known for their distinct aroma and slightly bitter taste. The cultivation of this crop is conned to areas with moderate or low rainfall and a cool growing season without extreme temperatures. It can tolerate 10-15°C frost. (Samantora R..2016), it has been reported to be grown under a wide range of soil and climatic conditions in many countries of Europe, Asia, Africa, Australia, and America Fenugreek has economic value as food, fodder, medicine, and in cosmetics.

^{*} Corresponding author: Anmar Saadi Aboud Department of Biology, College of science, AL-Mustansiriyah University, Iraq.

According to the natural medicines comprehensive database, 523 commercial products containing fenugreek have been reported, including 50 Canadian licensed products (Natural Database 2010).

1.1.1. Chemical constitutes

- Alkaloids: Trimethylamine, Neurin, Trigonelline, Choline, Gentianine, Carpaine .and Betain
- Amino acids: Isoleucine, 4-Hydroxyisoleucine, Histidine, Leucine, lysine, L-tryptophan, Argenine.
- <u>Saponins:</u> Graecunins, fenugrin 18, fenugreek, trigofoenosides A-G. <u>Steroidal sapinogens</u>: yamogenin diosgenin, smilagenin, sarsasapogenin, tigogenin, neotigogenin, gitogenin, neogitogenin, yuccageninaponaretin. <u>Flavonoids:</u> Quercetintinetixin isovetixin.
- Fibers: Gum, neutral detergent, fiber
- Other: Coumarin, lipids, vitamins, minerals 28%. (Kim, et.al..2006).

1.1.2. Pharmacological Uses

- Antidiabetic activity
- Antiplasmodic activity
- Hypolipidemic activity
- Immunological activity
- Antibacterial activity
- Anthelmintic activity
- Antioxidants activity. (S.Vyas ,et.al..2008).

1.2. Flax (Linum usitalissimum)

• Kingdom: Plantae

Subkingdom: Tracheobionta
Superdivision: spermatophyta
Division: Magnoliophyta
Class: Magnoliopsida

Subclass: Rosidae
Order: Linales
Family: Linaceae
Genum: Linum

Species: usitalissinum

Is a member of the genus *Linum* (flax) in the family Linaceae. It is a food and fiber crop cultivated in color regions of the world. The textiles made from Flax are known in the Western countries as linen, and traditionally used for bed sheets, underclothes, and table linen. The oil is known as linseed oil. In addition to referring to the plant itself, the word "flax" may refer to the unspun fibers of the flax plant. The plant species is known only as a cultivated plant, and appears to have been domesticated just once from the wild species *Linum bienne*, called pale flax. (Allaby R., et.al...2005) & (Hussien & Aziz .2021).

1.2.1. Chemical constitutes

- Glycosides
- Alkaloids
- Flavonoids
- Saponins
- Resins
- Protein (22.2%)
- Oil (45.19%)
- Carbohydrates (28.09%). (Prassad K.1999).

1.2.2. Pharmacological Uses

Antidiarrheal activity analgesic activity immunological activity reduce danger of cancer Antioxidant activity it used as laxative reduce danger cancer. (Mohammed .1990).

2. Material and methods

We took dried seeds of two mentioned plats (flax and Fenugreek) then we grinded them.then we added 10g of powder of both plants to 300ml of boiled distill water in conical flask and close it tightly and leave in for 24 hours. In the next day we filtrate the solution of the extract that we prepared we get clear extract then we pour extract of both mentioned plants in flat dishes (such as petri dish) and let them until dry. After we have dry extract we have to scrape it to have powder extract (Mashadian & Rakshandeh .2005). Then 2 concentration were prepared which were (0.5% & 1%) from both extracts.

2.1. Preparation of nutrient agar media

8.4g of Nutrient agar powder is weighted and dissolve in 300ml of distal water (2.8g per 100ml) then sterile the solvent by autoclave for 20 minute at 121 centigrade after 20 minutes we let it cooled then pour it in petri dishes there we have ready media to culture samples. (American Puplic Health Association .1917).

2.2. Culture samples

We took sample swabs from mouth of people in different categories (male or female), they were smokers and all samples were un regularly teeth brush. As shown in Table (1).

Table 1 Samples taken from mouth

No.	Age	Male or female	Diagnose
1	23	Male	Staphylococcus & streptococcus
2	35	Female	Staphylococcus
3	26	Male	streptococcus
4	25	Male	Pseudomonas
5	36	Male	Staphylococcus
6	32	Male	No growth
7	41	Female	streptococcus
8	21	Male	Staphylococcus& fungi
9	20	Male	Pseudomonas
10	39	Female	Staphylococcus
11	22	Male	Staphylococcus& fungi
12	40	Male	Staphylococcus& fungi
13	38	Female	streptococcus
14	27	Male	Streptococcus& fungi
15	36	Male	Pseudomonas

The isolated bacteria appears in cultured samples were diagnosis according to (Williams.1958) & (Habh, et.al..2015) & (Brown.2005).

2.3. Test inhibition activity of extracts

Bacterial samples are used to check their sensitivity to hot water extract.

Prepare nutrient agar then take swab from taken samples and make holes on dishes. on the plate (by adding the prepared concentration into the hole 0.5% and 1%) and inoculate with extract until the hole fill with extract then incubate the samples for 18-20 hours to see result.

3. Results and discussion

3.1. Bacterial diagnosis

Three genus of bacteria were diagnosis in this experiment which:

- Pseudomonas spp.
- Staphelococcus spp.
- Streptococcus spp.
- Fungi.

3.2. Flax seeds

After preparing the isolates and placing the extracts in the dish as described above in the methods of work and after incubation for 18-24 hours, the effect of Flax seeds extract on the bacterial isolates shown.

The results are as shown in the table (2), the hot aqueous extract appear an active role to prevent growth the bacteria, these.

Table 2 Inhibition zones of Flax hot extract aginst bacteria by (mm)

C 1 .	Inhibition zone (mm)		
Sample	Concentration 0.5%	Concentration 1%	
1	3	5	
2	4	6.5	
3	3.5	6	
4	4.5	7	
5	5	8	
6	3	5	
7	4	7	
8	4.5	7.5	
9	2.5	4	
10	4.5	7	
11	5	9	
12	4	6	
13	5	8	
14	4	8	
15	4	7	

Results due to the compounds were in extract which causes the death of bacteria around the holes in petri disc. These results were agree with another studies which aims to an antibacterial effect on oral pathogens bacteria cultured on nutrient a gar such (*Pseudomonas spp.* And *Streptococcus spp.*). (Almad, et.al..2018) & (Son & Song .2017).

Also the results in this experiment agree with, (Zuk, et.al..2014) which showed the hot extract components of flax seeds had antibacterial activities, and were useful as a preventative against bacterial infection.

3.3. Fenugreek Extract

After preparing the isolates and placing the extracts in the dish as described above in the methods of work and after incubation for 18-24 hours, the effect of the Fenugreek seeds extract on the bacterial isolates is shown in table (3).

Table 3 Inhibition zones of Fenugreek hot extract against bacteria by (mm)

Cample	Inhibition zone (mm)		
Sample	Concentration 0.5%	Concentration 1%	
1	4	8	
2	5	9	
3	6	10	
4	7	12	
5	6	11	
6	5.5	11	
7	4.5	10	
8	4	7	
9	7	12	
10	7	13	
11	4	8	
12	4.5	7.5	
13	5	10	
14	4	8.5	
15	6	10	

The results in this experiment appears an active role for hot aqueous of fenugreek on bacteria under study, the compounds in extract showed an obvious antibacterial effect on bacteria.

These results were agree with other studies like (Alwhibi & Solimen .2014), which mentioned that the hot aqueous extract showed an antibacterial activity against six isolate of bacteria (pseudomonas, E.coli, salmonella, staphelococcous, klebseilla, Shigella). Also agree with (Walli R., et.al.2015), which showed the hot aqueous extract of fenugreek seed had antimicrobial effect against G^+ , G^- & fungi.

4. Conclusion

The results in this experiment appears an active role for hot aqueous of fenugreek on bacteria and, the compounds in extract showed an obvious antibacterial effect on bacteria.

Recommendation

We recommended that adding an extracts of Flax and Fenugreek seeds to paste and oral antiseptics will maybe useful for preventing or reducing the growth of pathogenic bacteria in mouth.

Compliance with ethical standards

Acknowledgments

The author thanks warmly the College of science, AL-Mustansiriyah University, Iraq.

Disclosure of conflict of interest

Authors declared that there was no conflict of interest.

Statement of informed consent

Informed consent was obtained from all individual participants included in the study.

References

- [1] Allaby RG, Peterson GW, Merriwether DA, Fu YB. Evidence of the domestication history of flax (Linum usitatissimum L.) from genetic diversity of the sad2 locus. Theor Appl Genet. 2005 Dec;112(1):58-65. doi: 10.1007/s00122-005-0103-3. Epub 2005 Oct 8. PMID: 16215731.
- [2] Almad BEM, A.B.. Kashmoola, Muhannacl MAi, etal. The antibacterial effect of Flax seed extract on selective oral pathogens-comparative *in vitro* study. 2018. 7(11):1-11.
- [3] Alwhibi, Mona S, Solimen, Dina A. Evalueting the antibactenical activity of fenugreek (trigonella foenum-graccum) seed extract against ascleetion of different pathogenic bacteria. J. pure X Applied Micribio. 2014; 8(2): 817-821.
- [4] American Public Health Association. Standard methods of water analysis, 1992.
- [5] Brown AE. Bensons HJ. Benson's microbiological applications: laboratory manual in general microbiology. New York, N.Y.: McGraw Hill Education, 2015.
- [6] Dave Kelly. Towards a numerical definition for divaricate (interlaced small-leaved) shrubs. New Zealand Journal of Botany. 1994; 32(4): 509.
- [7] Habh Asseel M, Khalel MA, Idan, Rami M. 2015.
- [8] Hussien ZG, Aziz RA. Chemical composition and antibacterial activity of Linum Usitatissimum C. (Flaxseed). SYS. Rev. Pharm. 2021; 12(2): 145-147.
- [9] Habh AMM, Khalil MAA, Rami MI, Sabah R. Increase the readiness of phosphorus to rhaphanus salivus & Vigna unguicalata by local isolates of bacteria pseudomonas spp. Iraqi J. of Biotech. 2-15,14(2): 90-99.
- [10] Kim Su Ji, et al. Hypoglycemic and antihyperlipidemic effect of fenugreek seeds in alloxan induced diabetic rats. American journal of biochemistry and biotechnology. 2006; 2(4): 154-160.
- [11] Mashadian NV, Rakhshandeh H. Antibacterial and antifungal effects of Nigella sativa extracts against S. aureus, P.aeroginosa and C. albicans. Pak J Med Sci. 2005; 21(1):47-52.
- [12] Prasad K. Reduction of serum cholesterol and hypercholessorolemic in rabbits by SDG isolated from flaxseed. Circulation. 1999; 99(10): 1355-1362.
- [13] S Vyas, et al. Analgesic and inflammatory activity of Trigonella foenum- graecum seeds extract, Pubmedcentral. Acta Poloniae pharmaceutica –Drug Research. 2008; 65(4): 473-476.
- [14] Son hyeon-Jeong, Song KB. Antimicrobicel activity of Flax seed meal extract against E.coli 0157: H7 and Staphylococcus aureus inoculated on red mustard. J.Microbical. Biotechnol. 2017; 27(1), 67-71.
- [15] Vanisree M, Lee CY, Lo S Nalawae SM, Lin C, Tsag HS. Studies on the production of some important selonaly Meta botiteis medical by plant tissue Cartui. Bot Ball Acad. 2004; 45:1-22.
- [16] Walli Rhab R et.al. Screening of antimicrobial activity of fenugreek seeds. Pharmacy & pharmacology International J. 2015; 2(4): 122-124.
- [17] Williams REO. Laboratory diagnosis of streptococcal infections *Bulletin of the World Health Organization*, 19 (1), 153 176. https://apps.who.int/iris/handle/10665/265283
- [18] Zuk, Magdalena, et. al. Bacterial activities of G.M flax seed cake extract on pathogenic bacteria clinical strains. BMC Biotechnol. 2014; 14: 70.